

### 1.33.4 Harmonic series and the Riemann zeta function

Let  $s \in \mathbb{C}$ . The *Riemann zeta function at s* is

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s}.$$

The *harmonic series* is  $\zeta(1)$ . A *p-series* is  $\zeta(p)$  for  $p \in \mathbb{R}_{>0}$ .

**Theorem 1.18.** Assume  $p \in \mathbb{R}_{>0}$ . Then

$$\zeta(p) \text{ converges if and only if } p \in \mathbb{R}_{>1}.$$

*Proof.* Case 1:  $p = 1$ . In this case  $\zeta(1) = \sum_{n=1}^{\infty} \frac{1}{n}$  diverges since

$$\sum_{n=1}^{\infty} \frac{1}{n} = 1 + \frac{1}{2} + \underbrace{\frac{1}{3} + \frac{1}{4}}_{\geq \frac{1}{2}} + \underbrace{\frac{1}{5} + \frac{1}{6} + \frac{1}{7} + \frac{1}{8}}_{\geq \frac{1}{2}} + \cdots > 1 + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \cdots.$$

Case 2:  $p \in \mathbb{R}_{<1}$ . Then  $\zeta(p) = \sum_{n=1}^{\infty} \frac{1}{n^p}$  diverges since

$$\sum_{n=1}^{\infty} \frac{1}{n^p} = 1 + \frac{1}{2^p} + \frac{1}{3^p} + \frac{1}{4^p} + \cdots > 1 + \frac{1}{2} + \frac{1}{3} + \frac{1}{4} + \cdots.$$

Case 3:  $p \in \mathbb{R}_{>1}$ . Then  $\zeta(p) = \sum_{n=1}^{\infty} \frac{1}{n^p}$  converges since

$$\begin{aligned} \sum_{n=1}^{\infty} \frac{1}{n^p} &= 1 + \underbrace{\frac{1}{2^p} + \frac{1}{3^p}}_{\leq \frac{1}{2^{p-1}}} + \underbrace{\frac{1}{4^p} + \frac{1}{5^p} + \frac{1}{6^p} + \frac{1}{7^p}}_{\leq \frac{1}{2^{p-1}}} + \cdots \\ &< 1 + \frac{2}{2^p} + \frac{4}{4^p} + \frac{8}{8^p} + \cdots \\ &= 1 + \frac{1}{2^{p-1}} + \frac{1}{4^{p-1}} + \frac{1}{8^{p-1}} + \cdots \\ &= 1 + \frac{1}{2^{p-1}} + \left(\frac{1}{2^{p-1}}\right)^2 + \left(\frac{1}{2^{p-1}}\right)^3 + \cdots \\ &= \frac{1}{1 - \frac{1}{2^{p-1}}} = \frac{2^{p-1}}{2^{p-1} - 1}. \end{aligned}$$

□